		PRO								SUPERPRO				PREMIUM		
		SILVER								GOLD		ENDURE		EXTREME		
	Refs:	1945	1958	1959	1946	1991	1960	1950	1992	1949	1993	1906	1903	1901	1907	1900
	Ø mm:	6	8	8	10	10	14	18	18	10	10	8	8	22	22	22
	Ø inch:	¼	5/16	5/16	3/8	3/8	9/16	¾	¾	3/8	3/8	5/16	5/16	⅞	⅞	⅞
				PLUS		PLUS			PLUS		PLUS		PLUS			PLUS
PREMIUM	Intensive	TZ			⊙		⊙			⊙		⊙		⊙			⊙
		TK			⊙		⊙			⊙		⊙		⊙			⊙
		TX MAX			⊙		⊙			⊙		⊙		⊙			⊙
SUPERPRO	Professional	TP												⊙		
		TR MAGNET	⊙	⊙		⊙			⊙		⊙		⊙			⊙	
		RCH RS												⊙		
		RCH												⊙		
		HIT PLUS RS	⊙	⊙		⊙			⊙		⊙		⊙			⊙	
		HIT PLUS	⊙	⊙		⊙			⊙		⊙		⊙			⊙	
		HIT N	⊙	⊙		⊙			⊙		⊙		⊙			⊙	
		TS MAX	⊙	⊙		⊙			⊙		⊙		⊙			⊙	
		SPEED MAGNET	⊙	⊙		⊙			⊙		⊙		⊙			⊙	
PRO	Ocasional	SPEED N	⊙	⊙		⊙					⊙		⊙				
		FAST	⊙	⊙		⊙			⊙		⊙		⊙			⊙	
		STAR PLATINUM	⊙	⊙		⊙					⊙		⊙				
		STAR	⊙	⊙		⊙					⊙		⊙				
		PRACTIC	⊙	⊙		⊙					⊙		⊙				
		BASIC					⊙										

Included

PREMIUM SCORING WHEELS

· PLUS SCORING WHEELS FOR TX-MAX, TK & TZ PROFESSIONAL CUTTERS.

PATENTED

2 Cut & Drill

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

8MM PLUS SILVER SCORING WHEEL

- For ceramic wall, ceramic floor and porcelain, ideal for tiles with smooth and slightly textured surfaces.
- Tungsten carbide scoring wheel of high resistance and durability.
- Patented geometry shaft, for maximum precision and minimum vibration.

	REF.		
8 MM PLUS SCORING WHEEL SILVER	01959	10	3600

CATEGORY: SUPERPRO | ENDURE

SECURE LOCK SYSTEM

8MM PLUS SCORING WHEEL (05/16") ENDURE

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for smooth, textured and Highly textured surfaces.
- Wheel made of tungsten carbide.
- Patented geometry shaft, for maximum precision and minimum vibration.
- Extra-long life.

	REF.		
8MM PLUS SCORING WHEEL (05/16") ENDURE	01903	10	-

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

10MM PLUS SILVER SCORING WHEEL (03/8")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for smooth and slightly textured surfaces.
- Tungsten carbide scoring wheel of high resistance and duration.
- Shaft made with a patented geometry for a maximum precision and minimum vibration.

	REF.		
10 MM PLUS SCORING WHEEL	01991	10	3600

CATEGORY: SUPERPRO | GOLD

SECURE LOCK SYSTEM

10MM PLUS GOLD SCORING WHEEL (013/32")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for non-slip surfaces.
- Tungsten carbide scoring wheel with a superficial titanium treatment.
- Shaft made with a patented geometry for a maximum precision and minimum vibration.
- Long-lasting.

	REF.		
10MM PLUS GOLD SCORING WHEEL (013/32")	01993	10	3600

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

18MM PLUS SILVER SCORING WHEEL (03/4")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for Highly textured.
- Tungsten carbide scoring wheel of high resistance and duration.
- Shaft made with a patented geometry for a maximum precision and minimum vibration.

	REF.		
18 MM PLUS SCORING WHEEL	01992	10	3600

CATEGORY: PREMIUM | EXTREME

SECURE LOCK SYSTEM

22MM SCORING WHEEL PLUS EXTREME(Ø 7/8")

- For ceramic walls, ceramic floor, porcelain and rustic ceramic floor, ideal for Highly textured and structured surfaces.
- Tungsten carbide scoring wheel with a superficial titanium treatment.
- Mounted on bearing. Enhanced smooth user perception.
- Extra-long life.

	REF.		
22MM SCORING WHEEL PLUS EXTREME (Ø 7/8")	01900	10	-

SUPERPRO SCORING WHEELS

· ADAPTABLE SCORING WHEEL FOR TP, TQ & RCH PROFESSIONAL CUTTERS.

2 Cut & Drill

CATEGORY: PREMIUM | EXTREME

22MM SCORING WHEEL PLUS EXTREME (Ø 7/8") TP/TQ/RCH/SLAB CUTTER

- For sharp cuttings in hard ceramic and porcelain tiles.
- Tungsten Carbide scoring wheel with a superficial Titanium treatment.
- Mounted on bearing. Enhanced smooth user perception.
- Extra-long life.

	REF.		
22MM SCORING WHEEL PLUS EXTREME (Ø 7/8") TP/TQ/ RCH/SLAB CUTTER	01901	5	-

SUPERPRO SCORING WHEELS

- **FOR TS-MAX, TR-MAGNET, HIT, HIT-PLUS, HIT-PLUS RS & SPEED-MAGNET CUTTERS.**

PATENTED

2 Cut & Drill

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

6MM SILVER SCORING WHEEL (01/4")

- For ceramic wall, ceramic floor and porcelain, ideal for tiles with smooth and slightly textured surfaces.
- Tungsten carbide scoring wheel of high resistance and durability.
- Lock system patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.

	REF.		
6MM SCORING WHEEL (01/4") SILVER	01945	10	4400

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

8MM SILVER SCORING WHEEL (05/16")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for smooth and slightly textured surfaces.
- Tungsten carbide scoring wheel of high resistance and durability.
- Lock system patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.

	REF.		
8MM SCORING WHEEL (05/16") SILVER	01958	10	4400

CATEGORY: SUPERPRO | ENDURE

SECURE LOCK SYSTEM

8MM ENDURE SCORING WHEEL (05/16")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for smooth, textured and Highly textured surfaces.
- Wheel made of tungsten carbide.
- Lock system patented geometry shaft, for maximum precision and minimum vibration.
- Extra-long life.

	REF.		
8MM SCORING WHEEL (05/16") ENDURE	01906	10	-

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

10MM SILVER SCORING WHEEL (03/8")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for smooth and slightly textured surfaces.
- Tungsten carbide scoring wheel of high resistance and durability.
- Lock system patented handle made with new high technology RUBI® alloy; maximum precision and resistant to wear.

	REF.		
10MM SCORING WHEEL (03/8") SILVER	01946	10	4400

CATEGORY: SUPERPRO | GOLD

SECURE LOCK SYSTEM

10MM GOLD SCORING WHEEL (03/8")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for non-slip surfaces.
- Tungsten carbide scoring wheel with a superficial titanium treatment.
- Lock system patented handle made with new high technology RUBI® alloy; maximum precision and resistant to wear. Long-lasting.

	REF.		
SCORING WHEEL 03/8" (10MM) GOLD	01949	10	4400

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

18MM SILVER SCORING WHEEL (03/4")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for Highly textured.
- Tungsten carbide scoring wheel of high resistance and durability.
- Lock system patented shaft geometry; maximum precision and minimum vibration.
- Compatible with FAST cutters.

	REF.		
SCORING WHEEL 03/4" (18MM) SILVER	01950	10	3600

CATEGORY: PREMIUM | EXTREME

SECURE LOCK SYSTEM

22MM SCORING WHEEL (07/8") EXTREME

- For ceramic walls, ceramic floor, porcelain and rustic ceramic floor, ideal for Highly textured and structured surfaces.
- Tungsten carbide scoring wheel with a superficial titanium treatment.
- Patented lock system geometry shaft, for maximum precision and minimum vibration.
- Patented model for maximum precision and minimum vibration.
- Extra-long life.
- Compatible with FAST cutters.

	REF.		
SCORING WHEEL 07/8"(22MM) EXTREME	01907	10	-

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

6MM SILVER SCORING WHEEL SET (01/4")

- Tungsten carbide scoring wheel of high resistance and durability.
- Shaft made with a patented geometry for a maximum precision and minimum vibration.
- Shaft made patented lock system with new high technology RUBI® alloy; maximum precision and resistant to wear.

	REF.		
6MM SCORING WHEEL SET (0 1/4") SILVER	01947	10	4400

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

6MM (01/4") & 10MM (03/8") SCORING WHEELS SET

- Tungsten carbide scoring wheel of high resistance and durability.
- Shaft made patented lock system with new high technology RUBI® alloy; maximum precision and resistant to wear.

	REF.		
6MM (01/4") & 10MM (03/8") SILVER SCORING WHEELS SET	01948	10	3600

SCORING WHEEL SETS

· SETS OF SCORING WHEELS OF DIFFERENT DIAMETERS WITH BOX.

2 Cut & Drill

CATEGORY: PRO | SILVER

SCORING WHEEL SET 2

- For TS-MAX, TR-MAGNET, TF-MAX & SPEED-MAGNET models, includes 1 scoring wheel of Ø1/4" (6mm),
- Ø5/16" (8mm), Ø3/8" (10mm), Ø7/8" (18mm) (2 units) SILVER.
- In plastic box with transparent cover.
- Supplied in blister.

	REF.		
SCORING WHEEL SET 2	01996	5	450

PRO SCORING WHEELS

· SELECTION OF SCORING WHEELS FOR SPEED-N, FAST, STAR-MAX, STAR, POCKET & PRACTIC MANUAL CUTTERS.

PATENTED

2 Cut & Drill

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

6MM SILVER SCORING WHEEL (Ø1/4")

- For ceramic wall, ceramic floor and porcelain, ideal for tiles with smooth and slightly textured surfaces.
- Tungsten carbide scoring wheel of high resistance and durability.
- Lock system patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.

	REF.		
6MM SCORING WHEEL (Ø1/4") SILVER	01945	10	4400

CATEGORY: PRO | SILVER

SECURE LOCK SYSTEM

8MM SILVER SCORING WHEEL (Ø5/16")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for smooth and slightly textured surfaces.
- Tungsten carbide scoring wheel of high resistance and durability.
- Lock system patented model with new high technology RUBI® alloy; maximum precision and resistant to wear.

	REF.		
8MM SCORING WHEEL (Ø5/16") SILVER	01958	10	4400

CATEGORY: SUPERPRO | ENDURE

SECURE LOCK SYSTEM

8MM ENDURE SCORING WHEEL (Ø5/16")

- For ceramic wall, ceramic floor, porcelain and rustic ceramic floor, ideal for smooth, textured and Highly textured surfaces.
- Wheel made of tungsten carbide.
- Lock system patented geometry shaft, for maximum precision and minimum vibration.
- Extra-long life.

	REF.		
8MM SCORING WHEEL (Ø5/16") ENDURE	01906	10	-